

University of Groningen

Spinal efferents and afferents of the periaqueductal gray

Mouton, Leonora Johanna

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1999

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Mouton, L. J. (1999). *Spinal efferents and afferents of the periaqueductal gray: Possible role in pain, sex and micturition*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

List of Publications

- Mouton L.J., Besseling S., Hidding A., Bij J. vander (1988) Different EMG-Force relationships of the low-back muscles during standing and sitting, In: Wallinga W., Boom H.B.K., Vries J. de, Electrophysiological Kinesiology, Elsevier Science Publishers B.V., Amsterdam.
- Mouton L.J., Hof A.L., Jongh H.J. de, Eisma W.H. (1991) Influence of posture on the relation between surface electromyogram amplitude and back muscle moment: consequences for the use of surface electromyogram to measure back load, Clin. Biomech. 6: 245-251.
- Mouton L.J., Holstege G. (1994) The periaqueductal gray in the cat projects to lamina VIII and the medial part of lamina VII throughout the length of the spinal cord, Exp. Brain. Res. 101: 253-264.
- Mouton L.J., Kerstens L., Van der Want J., Holstege G. (1996) Dorsal border periaqueductal gray neurons project to the area directly adjacent to the central canal ependyma of the C4-T8 spinal cord in the cat, Exp. Brain. Res. 112: 11-23.
- VanderHorst V.G.J.M., Mouton L.J., Blok B.F.M., Holstege G. (1996) Distinct cell groups in the lumbosacral cord in the cat project to different areas in the periaqueductal gray, J. Comp. Neurol. 376: 361-385.
- Mouton L.J., VanderHorst V.G.J.M., Holstege G. (1997) Large differences in the spinal projections to the periaqueductal gray in the cat, Neurosci. Lett. 238: 1-4.
- Mouton L.J., Holstege G. (1998) Three times as many lamina I neurons project to the periaqueductal gray than to the thalamus: a retrograde tracing study in the cat, Neurosci. Lett. 255: 107-110.
- Mouton L.J., Klop E.M., Holstege G., Lamina I neurons provide only a minor portion of the spinal and caudal medullary projections to the ventrolateral and lateral periaqueductal gray, Pain, submitted.
- Mouton L.J., Holstege G., The segmental and laminar organization of the spinal neurons projecting to the periaqueductal gray (PAG) in the cat suggest the existence of at least five separate spino-PAG systems, J. Comp. Neurol., submitted.

